



## Anti-DPP4 monoclonal antibody, clone 333224 (DCABY-4035)

This product is for research use only and is not intended for diagnostic use.

### PRODUCT INFORMATION

<b>Antigen Description</b>	Dipeptidyl peptidase IV (DPPIV/CD26) is a serine exopeptidase that releases Xaa-Pro dipeptides from the N-terminus of proteins and peptides. It plays an important role in T-cell costimulation, chemokine biology, type II diabetes and tumor biology. There are at least 15 DPPIV-related human genes. Some function as enzymes, including DPP8, DPP9, fibroblast activation protein (FAP), prolyl endopeptidase (PREP), and N-acylaminoacyl-peptide hydrolase (APEH) while others (DPP6/DPPX and DPP10/DPRP3) may have lost their protease properties but acquired novel functions. For example, DPP6 is a critical component of neuronal A-type K <sup>+</sup> channels.
<b>Specificity</b>	Detectshuman DPPIV/CD26in ELISAs and Western blots. In ELISAs and Western blots,no cross-reactivity with recombinant humanCathepsin A or recombinant mouse DPPIV is observed.
<b>Immunogen</b>	Mouse myeloma cell line NS0-derived recombinant human DPPIV/CD26. Asp34-Pro766 Accession Number Q53TN1
<b>Isotype</b>	IgG2a
<b>Source/Host</b>	Rat
<b>Species Reactivity</b>	Human
<b>Clone</b>	333224
<b>Purification</b>	Protein A or G purified from hybridoma culture supernatant
<b>Conjugate</b>	Unconjugated
<b>Applications</b>	Western Blot, Flow Cytometry, ELISA Capture (Matched Pair)

<b>Format</b>	Liquid
<b>Size</b>	500 µg
<b>Buffer</b>	Lyophilized from a 0.2 µm filtered solution in PBS with Trehalose.
<b>Preservative</b>	None
<b>Storage</b>	Use a manual defrost freezer and avoid repeated freeze-thaw cycles. 12 months from date of receipt, -20 to -70 °C as supplied. 1 month from date of receipt, 2 to 8 °C, reconstituted. 6 months from date of receipt, -20 to -70 °C, reconstituted.

## GENE INFORMATION

<b>Gene Name</b>	<a href="#">DPP4 dipeptidyl-peptidase 4 [ Homo sapiens (human) ]</a>
<b>Official Symbol</b>	DPP4
<b>Synonyms</b>	DPP4; dipeptidyl-peptidase 4; CD26; ADABP; ADCP2; DPPIV; TP103; dipeptidyl peptidase 4; ADCP-2; DPP IV; dipeptidylpeptidase 4; dipeptidyl peptidase IV; T-cell activation antigen CD26; adenosine deaminase complexing protein 2; dipeptidylpeptidase IV (CD26,
<b>Entrez Gene ID</b>	<a href="#">1803</a>
<b>Protein Refseq</b>	<a href="#">NP_001926</a>
<b>UniProt ID</b>	<a href="#">P27487</a>
<b>Chromosome Location</b>	2q24.3
<b>Pathway</b>	Incretin synthesis, secretion, and inactivation; Metabolism of proteins; Peptide hormone metabolism; Protein digestion and absorption; Synthesis, secretion, and inactivation of Glucagon-like Peptide-1 (GLP-1); Synthesis, secretion, and inactivation of Glu
<b>Function</b>	dipeptidyl-peptidase activity; identical protein binding; protease binding; protein binding; protein homodimerization activity; receptor binding; serine-type endopeptidase activity; serine-type peptidase activity;